

Are
captivating
wheel designs
complicating
leak testing?

Stop wasting time
with *fake rejects*




Design Problems :

1. The rim spokes design features interruptions of the outer lip



2. The rim spokes design presents an accentuated convexity



Standard rim

Convex rim

Both such features affect and complicate **leak testing**:
the **tightness** on the rim's outer lip is extremely **difficult**

THE PROBLEM :

After performing leak testing, many rims may result in

fake rejects



Necessity of repeated testing



Waste time and helium!



Impossibility to test all the rims



Not-tested rims are put on the market!

THE SOLUTION:



**The new ALFIN-EVO
HELIUM LEAK TEST MACHINE**



Why **ALFIN-EVO** :

1

NO MORE FAKE REJECTS

Thanks to the new innovative design, stop wasting time & helium and get your rims tested!

2

TEST ALL WHEELS DESIGNS

...and a wide range of wheel sizes!

ALFIN-EVO is available in 2 sizes:

- ✓ **ALFIN EVO-22** for wheel diameter up to 22"
- ✓ **ALFIN EVO-24** for wheel diameter up to 24"

3

UPGRADE YOUR MACHINE

All the existing **ALFIN-ECO** machines can be upgraded with the new innovative system. Small investment... Big return!

Get in touch to know more :
info@test-industry.com

WWW.TEST-INDUSTRY.COM